



# 407 Low-Density Filler Technical Data Sheet

## Technical Data Sheet




### General Description

407 Low-Density Filler is a blended microballoon-based filler used to make fairing putties that are easy to sand or carve. Reasonably strong on a strength-to-weight basis. Cures to a dark red/brown color.



## 407 Filler

### Mixed Epoxy Required for Consistency\*

Filler		Catsup Consistency	Mayonnaise Consistency	Peanut Butter Consistency
				
Size	Weight			
407-5	4.0 oz	0.5 qt	0.4 qt	0.3 qt
407-15	12.0 oz	1.7 qt	1.3 qt	1.0 qt
407-B	14.0 lb	6.0 gal	4.8 gal	3.7 gal

### Fairing Filler Selection Guide

Filler	General Bonding	Bonding with Fillets	Laminating	Fairing
<b>407 Low-Density</b>	★	★★★	★★	★★★
<b>410 Microlight</b>				★★★★★

Filler suitability for various uses ★★★★★ = excellent, ★★★★ = very good, ★★★ = good, ★ = fair, (no stars) = not recommended.

Gougeon Brothers, Inc.  
 P.O. Box 908  
 Bay City, MI 48707  
 866-937-8797  
 westsystem.com  
 ISO9001:2015 Certified

October, 2014

\*Although Fillers can be used with any WEST SYSTEM Epoxy, all properties based on use with the 105 system